




T - Profil



IPE - Profil



HE - Profil



Válcované za tepla, dle EN 10055,  
mořené, ve výrobních délkách 6 m.

Zkrácené značení	Rozměry h x b x t (mm)		Materiál	
	h x b x t	kg/m	1.4301	1.4571
T 20	20 x 20 x 3	0,9	■	□
	x 4	1,2	□	□
T 25	25 x 25 x 4	1,5	□	□
T 30	30 x 30 x 3	1,4	■	□
	x 4	1,8	□	□
T 35	35 x 35 x 3	1,6	□	□
	x 4	2,1	□	□
T 40	40 x 40 x 4	2,5	■	□
	x 5	3,0	□	□
T 45	45 x 45 x 5	3,7	□	□
T 50	50 x 50 x 5	3,8	■	□
T 60	60 x 60 x 6	5,5	■	□
T 70	70 x 70 x 7	7,5	□	□
T 80	80 x 80 x 8	9,7	■	□
T 90	90 x 90 x 9	12,2	□	□
T 100	100 x 100 x 8	12,4	□	□
	x 10	15,1	□	□
T 120	120 x 120 x 13	25,1	□	□

Válcované za tepla, dle EN 10034,  
mořené, ve výrobních délkách 6 m.

rozměry h x b x t <sub>1</sub> x t <sub>2</sub> (mm)				Hmotnost kg/m	Materiál	
h	b	t <sub>1</sub>	t <sub>2</sub>		1.4301	1.4571
80	46	3,8	5,2	6,2	□	□
100	55	5,7	5,7	9,0	□	□
120	64	4,4	6,3	12,9	□	□
140	73	4,7	6,9	12,9	□	□
160	82	10,0	12,0	26,3	□	□
	x 91	12,0	13,0	34,2	□	□
200	100	10,0	12,0	32,9	□	□
	x 100	12,0	12,0	35,7	□	□
220	110	8,0	9,0	29,3	□	□
	x 110	15,0	20,0	56,2	□	□
	x 110	16,0	20,0	20,0	□	□
240	120	9,0	10,0	34,5	□	□
	x 120	16,0	20,0	61,0	□	□
300	150	12,0	15,0	62,1	□	□
330	160	12,0	16,0	68,8	□	□
360	170	13,0	16,0	79,0	□	□
400	180	120	16,0	82,6	□	□

Válcované za tepla, dle EN 10034,  
mořené, ve výrobních délkách 6 m.

rozměry h x b x t <sub>1</sub> x t <sub>2</sub> (mm)				Hmotnost kg/m	Materiál	
h	b	t <sub>1</sub>	t <sub>2</sub>		1.4301	1.4571
100	100	6,0	8,0	17,1	□	□
	x 100	6,0	10,0	20,4	□	□
120	120	6,5	11,0	28,4	□	□
	x 120	10,0	12,5	32,4	□	□
140	140	7,0	12,0	33,4	□	□
	x 140	9,0	12,0	45,6	□	□
150	150	8,0	10,0	40,9	□	□
160	160	10,0	13,0	42,9	□	□
180	180	15,0	15,0	62,2	□	□
200	200	8,0	12,0	50,4	□	□
220	210	11,0	16,0	69,7	□	□
250	250	9,0	14,0	72,4	□	□
300	300	10,0	16,0	100,9	□	□

■ skladové rozměry  
□ rozměry na objednávku